

# INDEX MAPS.

**T.7N R.2W 2<sup>nd</sup> Mer.**

	269	269	268	268	268	267						
271	6	290	5	286	4	283	3	279	2	275	1	267
	290	290	286	282	279	275						
271	7	289	8	286	9	282	10	278	11	275	12	266
	290	289	285	282	278	274						
271	18	289	17	285	16	281	15	278	14	274	13	266
	291	288	285	281	277	273						
270	19	288	20	284	21	281	22	277	23	273	24	265
	291	288	284	280	277	273						
270	30	287	29	284	28	280	27	276	26	272	25	265
	292	287	283	280	276	272						
269	31	287	32	283	33	279	34	276	35	272	36	265
	264	264	264	263	263	263						

**T.8N R.2W 2<sup>nd</sup> Mer.**

	298		298		298		297		297		297	
300	6	320	5	316	4	312	3	308	2	304	1	296
	320		319		315		312		308		304	
300	7	319	8	315	9	311	10	308	11	304	12	296
	320		319		315		311		307		303	
300	18	318	17	315	16	311	15	307	14	303	13	296
	321		318		314		310		306		303	
299	19	318	20	314	21	310	22	306	23	302	24	295
	321		317		313		310		306		302	
299	30	317	29	313	28	309	27	306	26	302	25	295
	321		317		313		309		305		301	
299	31	316	32	312	33	309	34	305	35	301	36	295
	294		294		294		293		293		293	

The figures on the lines refer to the page.

Township N. 8 North of Range N. 2 West of the 2<sup>nd</sup> Mer. Sec. 1<sup>st</sup>  
Ch. 1<sup>st</sup> Sec.

South Branch April 4<sup>th</sup> 1811.

- West From the cor. of Town N. 7. & 8. N. R. 1 & 2 W. in  
the South Branch of Sec. 36. T. N. 8 N. R. N. 2 W.  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
Sugar 18 in. dia. bore S 63 E. 16 miles dish; 1 a  
Sugar 12 a n n N 44 W. 16 a n n  
43.00 To a Brook 3 miles mid; Conus St.  
44.25 To a Oak 24 in. dia. It stands in the line.  
80.00 Set a post for the cor. to Sec. 35, & 36. T. N. 8 N. R. N.  
2 W. from which a Buck 5 in. dia. bore S 22 E. 10 the  
dish; 1 a n n n n n 12 a n n n n 35 W. 15 a n  
— Lands good; Timber Buck, Sugar, Oak &c.

- West 2<sup>nd</sup> Mile in the South Branch of Sec. 35. T. N. 8 N.  
R. N. 2 W.  
40.00 Set a trap post for the cor. to 1/4 Sec. from which a  
Buck 18 in. dia. bore S 85 W. 13 miles dish; 1 a  
do 15 a n n n n 18 E. 13 a n n  
69.75 To a Sugar 16 in. dia. It stands in the line.  
80.00 Set a post for the cor. to Sec. 34. & 35. T. N. 8 N. R. N.  
2 W. from which a Sugar 12 in. dia. bore South 17 the dish  
under a Mulberry 8 in. dia. bore N 54 W. 34 miles dish  
Lands in the R. 1/2 mile same as before. 2<sup>nd</sup> 1/2 mile.  
Rich level lands; Timber Sugar, Buck under Poplar

- West 3<sup>rd</sup> Mile in the South Branch of Sec. 34 T. N. 8 N. R.  
N. 2 W. 2<sup>nd</sup> Mer.  
32.50 To a Buck 12 in. dia. It stands in the line.  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
Heich 20 in. dia. bore S 68 E. 34 miles dish; 1 a  
do 18 a n n n n 87 W. 25 a n n  
67.75 To a Heich 12 in. dia. It stands in the line.  
80.00 Set a post for the cor. to Sec. 33. & 34. T. N. 8 N. R. N. 2 W.  
from which a Heich 12 in. dia. bore S 74 E. 16 the  
dish; under do 14 a n n n n 14 W. 20. n  
— Lands all under timber same as in the last mile.

I. N. 8. N.R. N. 27. 2<sup>nd</sup> Mer. (Cud.)

- West 4<sup>th</sup> Mile on the South Boundary of Sec. 33. I. N. 8.  
N.R. N. 27.
- 31.50 Iron N. Oak 30 in. dia. Stands in the line.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Kick 12 in. dia. has S 54 N. 30 hicks dist; to  
N. Oak 18 " " " N 79 E. 43 " " "
- 46.00 To a Brook 3 hicks wide; hence N.
- 80.00 Set a post for the cor. to Sec. 32, 133. I. N. 8. N.R.  
N. 27. from which a  
Sug 12 in. dia. has S 57 E. 18 hicks dist; to  
Kick 16 " " " N 33 W. 19 " " "  
Good Oak Land;

- West 5<sup>th</sup> Mile on the South Boundary of Sec. 30. I. N. 8. N.R. N. 27.
- 28.50 Iron Poplar 28 in. dia. Stands in the line.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Log 6 in. dia. has N 84 E. 31 hicks dist;  
under Sugar 12 " " " West 24 " " "
- 80.00 Set a post for the cor. to Sec. 31, 130 I. N. 8. N.  
N. 27. from which a  
Sugar 16 in. dia. has N 49 E. 23 hicks dist; to  
Pop 16 " " " N 49 W. 23 " " "  
Good Oak Land.

- West 6<sup>th</sup> Mile. on the South Boundary of Sec. 31. I. N. 8.  
N.R. N. 27.
- 17.00 To a Brook 3 hicks wide; hence S.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Sugar 14 in. dia. has S 76 W. 13 hicks dist; to  
Walnut 8 " " " N 55 E. 20 " " "
- 50.00 To a Brook 10 hicks wide; hence S.E.
- 77.00 " " " 3 " " " N.
- 80.50 Set a temporary post for the cor. to S. 7. & 8. N.R. 27.  
37. Good Oak; Timber Sugar Oak & Pop  
Am. &c. (S. 20 sec. I. N. 8. N.R. N. 27.

T. N. 8. N. R. No. 2 W. 2<sup>nd</sup> Mer. Sec. 2

## East Boundary.

North 1<sup>st</sup> Mile on the East Boundary of Sec. 36. T. N. 8 N. R. No. 2 W.

15.00 Top Brook 50 links wide; leaves S. E.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Tree 13 in. dia. bears S 60 E. 17 links dist; 10  
Do 15 " " " N 40 W. 15 " "

55.50 Iron Ash 1 1/2 in. dia. stands in the line.

80.00 Set a post for the cor. to Sec. 25, & 36. T. N. 8 N. R. No. 2 W. from which a

Dogwood 4 in. dia. S. W. N 60 E. 10 links dist; 10  
Tree 18 " " " S 15 W. 27 " "

Land S. W. rate; Timber. Sugar, Walnut, Ash.  
2nd 1/2 mile Land rich and level; Timber same

North 2<sup>nd</sup> Mile on the East Boundary of Sec. 25 T. N. 8 N. R. No. 2 W.

16.50 Top Brook 8 links wide; leaves East.

28.00 Top Tree 40 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 13 in. dia. bears S 24 E. 20 links dist; 10  
Tree 8 " " " N 65 W. 26 " "

44.00 Top Brook 60 links wide; leaves S. E.

80.00 Set a post for the cor. to Sec. 24 & 25. T. N. 8 N. R. No. 2 W. from which a

Sugar 13 in. dia. bears N 55 E. 11 links dist; 10

Do 14 " " " S 43 W. 24 " "

Land rich and timber same as on the last mile.

North 3<sup>rd</sup> Mile on the South Boundary of Sec. 24 T. N. 8 N. R. No. 2 W.

18.00 Top W. Oak 20 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 16 in. dia. bears S 78 W. 14 links dist; 10  
Tree 3 " " " S 10 E. 13 " "

80.00 Set a post for the cor. to Sec. 13 & 24 T. N. 8 N. R.



T. N. 8 N. R. No. 2 W. 2<sup>nd</sup> Mer. (Ind.)

No 2 W. from which is  
Sugar 13 in. dia. beam No 6 E. 4 miles dist; 10  
Do 6 a n n N 16 W. 24 a n n  
Sound of muddling quality; Timber Beech, Sugar  
& Poplar.

North 4<sup>th</sup> Mile. on the East Boundary of Sec 13 T. N. 8  
N. R. No. 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which is  
W. Oak 16 in. dia. beam No 2 W. 3 1/2 miles dist; 10  
Logwood 6 a n n N 47 E. 13 a n n

69.00 Iron Brook 8 miles dist; Current S. E.

78.00 Iron Sugar 13 in. dia. Stands on the line.

80.00 Set a post for the cor. to Sec. 12 & 13. T. N. 8 N. R.  
No. 2 W. from which is Oak 6 in. dia. beam N 30 W.  
11 miles dist; made a W. Oak 5 a n n N 66 E.  
18 a n n Sound 2<sup>nd</sup> rate; Timber Oak, Poplar 10.

North 5<sup>th</sup> Mile on the East Boundary of Sec. 12 T. N. 8.  
N. R. No. 2 W.

23.50 Iron Beech 14 in. dia. Stands on the line.

35.10 Iron Spring 20 miles dist; Current S. E. Rattle  
Snake den at the head.

40.00 Set a post for the cor. to 1/4 sec. from which is  
Poplar 40 in. dia. beam N 45 E 8 miles dist; 10  
Do 36 a n n N 54 W. 24 a n n

80.00 Set a post for the cor. to Sec. 10 & 12 T. N. 8 N. R. No.  
2 W. from which is  
Logwood 4 in. dia. beam No 6 W. 7 miles dist; 10  
W. Oak 30 a n n N 40 E. 5 a n n  
Sound hard; Timber Oak.

North On the 6<sup>th</sup> Mile; East Boundary of Sec. 1. T. N.  
8 N. R. No. 2 W.

28.50 Iron W. Oak 36 in. dia. Stands on the line.

40.00 Set a post for the cor. to 1/4 sec. from which is

T. No 8 N.R. No 27. 2<sup>nd</sup> Mer. Sur.

W Oak 10 in. dia. beam S56 N. 11 links dist; 10  
 Poplar 40 n n n N31 E. 7 n n  
 57.50 To an N. Oak 20 in. dia. beam in the line  
 81.00 Set a temporary post for the cor. to T. No 8. 19. N.R. No  
 1 & 27.

North Boundary April 6<sup>th</sup> 1811.

West 1<sup>st</sup> Mile from the cor of Toms 8. 19. N.R. No 27.  
 in the North Boundary of Sec. 36. T. No 9. N.R. No 27.  
 40.00 Set a post for the cor. to 1/4 Sec. from which a  
 Hickory 13 in. dia. beam N37 E. 31 links dist; 10  
 Do 14 n n n S53 N. 22 n n  
 80.00 Set a post for the cor. to Sec. 35. 136 T. No 9. N.R.  
 No 27. from which a Logwood 5 in. dia. beam  
 46 N. 28 links dist; 10 Do 4 n n n  
 46 E. 16 n n  
 Ends here; Timber Oak & Hickory

West 2<sup>nd</sup> Mile in the South Boundary of Sec. 35 T. No  
 9. N.R. No 27. 2<sup>nd</sup> Mer.  
 35.00 To a Birch 10 links min. beam South.  
 40.00 Set a post for the cor. to 1/4 Sec. from which a  
 Birch 10 in. dia. beam N46 E. 14 links dist; 10  
 Logwood 5 n n n N87 N. 16 n n  
 80.00 Set a post for the cor. to Sec. 34. 135 T. No 9. N.  
 R. No 27. from which a  
 W. Oak 15 in. dia. beam N30 N. 7 links dist; 10  
 W. Oak 18 n n n S45 N. 13 n n  
 Ends here ends timber same as the last mile.

West 3<sup>rd</sup> Mile in the South Boundary of Sec. 34. T. No 9  
 N.R. No 27  
 40.00 Set a post for the cor. to 1/4 Sec. from which a  
 Sugar 12 in. dia. beam S25 E. 13 links dist; 10  
 Do 8 n n n N5 N. 12 n n  
 80.00 Set a post for the cor. to Sec. 33. 134. T. No 9. N.R. No

T<sup>N</sup> 8 N<sup>R</sup> 27. 2<sup>nd</sup> Mer. (Ind.<sup>ed</sup>)2<sup>nd</sup> Mer. from which

Sum 5 in. dia. bore 440 W. 12 miles dist; and

13 Oak 36 in. dia. 155 E. 15 in. dia.

Lands level Timber Oak, Poplar, Sugar, &amp;c.

West 4<sup>th</sup> Mile on the South Boundary of Sec. 33. T<sup>N</sup> 9. N<sup>R</sup> 27.

40.00 Set a post for the cor. to 1/4 Sec. from which

Sum 10 in. dia. bore 122 W. 13 miles dist; &amp;c

Do 13 in. dia. 117 W. 30 in. dia.

80.00 Set a post for the cor. to Sec. 32. & 33. T<sup>N</sup> 9. N<sup>R</sup> 27. from which

W. Oak 16 in. dia. bore 125 E. 4 miles dist; &amp;c

Sugar 8 in. dia. 135 W. 30 in. dia.

Good lands; Timber Sugar, Oak, and Walnut

West 5<sup>th</sup> Mile on the South Boundary of Sec. 32. T<sup>N</sup> 9. N<sup>R</sup> 27.

24.00 Trap Brook 20 miles into; source N. W.

40.00 Set a post for the cor. to 1/4 Sec. from which

Sum 5 in. dia. bore 187 E. 18 miles dist; and

Butternut 12 in. dia. 140 W. 16 in. dia.

80.00 Set a post for the cor. to Sec. 31. & 32. T<sup>N</sup> 9. N<sup>R</sup> 27. from which

Sum 12 in. dia. bore 130 E. 14 miles dist; &amp;c

Oak 8 in. dia. 112 W. 12 in. dia.

Lands level and timber same as the last mile

West 6<sup>th</sup> Mile on the South Boundary of Sec. 31. T<sup>N</sup> 9. N<sup>R</sup> 27.

40.00 Set a post for the cor. to 1/4 Sec. from which

Sum 16 in. dia. bore 126 W. 26 miles dist; &amp;c

Do 4 in. dia. 130 E. 5 in. dia.

80.00 Set a temporary post for the cor. to T<sup>N</sup> 8 & 9. N<sup>R</sup> 27. 3 W. Lands level and timber same as the last mile. T<sup>N</sup> 9. N<sup>R</sup> 27.

T. No. 8. N. R. No. 2 W. 2<sup>nd</sup> Mer. Ind.

West Boundary. April 7. 1811.

- North 1<sup>st</sup> Mile from the cor. to T. No. 7 & 8 N. R. No. 213  
 W. on the East Boundary of Sec. 36. T. No. 8 N. R.  
 No. 3 W.
- 11.50 To a Buck 8 in. dia. side; leaves S. E.
- 45.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 14 in. dia. leaves S 20 W. 31 miles dist; to  
 do do do do do N 51 E. 26 do do
- 54.00 To a Buck 14 in. dia. stands in the line
- 80.00 Set a post for the cor. to Sec. 25 & 36. T. No. 8 N. R.  
 No. 3 W. from which a Buck 12 in. dia. leaves  
 S 59 E. 18 miles dist; to Gum 22 do do do  
 N 19 W. 22 do do do Lumbered; Lumber Buck  
 Gum & Poplar.

- North 2<sup>nd</sup> Mile on the East Boundary of Sec. 25. T. No.  
 8 N. R. No. 3 W.
- 19.50 To a Gum 20 in. dia. stands in the line.
- 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Hickory 10 in. dia. leaves N 19 E. 10 miles dist; to  
 Hickory 11 do do do N. 26 W. 37 do do
- 80.00 Set a post for the cor. to Sec. 24 & 25 T. No. 8 N. R. No.  
 3 W. 2<sup>nd</sup> Mer. from which a  
 Buck 9 in. dia. leaves N 25 W. 10 miles dist; to  
 Maple 12 do do do S 49 E. 22 do do  
 Lumbered Lumber Oak &c.

- North 3<sup>rd</sup> Mile on the East Boundary of Sec. 24 T. No. 8  
 N. R. No. 3 W.
- 15.00 To a Hickory 18 in. dia. stands in the line.
- 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Gum 13 in. dia. leaves N 59 W. 12 miles dist; to  
 do 5 do do do do S 43 E. 14 do do do
- 80.00 Set a post for the cor. to Sec. 13 & 24 T. No. 8 N. R.  
 No. 3 W. from which a Poplar 5 in. dia. leaves N 18 E.  
 15 miles dist; to Poplar 5 in. dia. leaves East 12 miles dist;



T. N. 8 N. R. No 2 W. 2nd Mer. (Ind. 2)

Land Heilly and Stacy Timber Oak &c.

North 4<sup>th</sup> Mile on the East Boundary of Sec. 13. T. N. 8 N. R. No 3 W.

35.00 To a Beech 14 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 Sec. from which a  
Beech 15 in. dia. bears S 52 W. 40 miles dist; to  
do 14 n n n S 60 E. 32 n n n

47.00 To a Beech 57 miles near; corner N. W.

80.00 Set a post for the cor. to Sec. 12. & 13. T. N. 8 N. R. No 3 W. from which a  
Beech 13 in. dia. bears S 58 E. 22 miles dist; to  
Sugar 18 n n n N 76 W. 19 n n n  
Land Heilly and Stacy; Timber same as before

North 5<sup>th</sup> Mile on the South Boundary of Sec. 12. T. N. 8 N. R. No 3 W.

40.00 Set a post for the cor. to 1/4 Sec. from which a  
Beech 14 in. dia. bears N 61 W. 14 miles dist; to  
do 7 n n n S 47 E. 16 n n n

63.50 To a Sugar 7 in. dia. stands in the line.

69.00 To a Beech 15 miles near; corner E. W.

80.00 Set a post for the cor. to Sec. 10 & 12. T. N. 8 N. R. No 3 W. from which a  
Sugar 14 in. dia. bears S 68 W. 20 miles dist; to  
Beech 15 n n n N 86 E. 18 n n n

North 6<sup>th</sup> Mile on the South Boundary of Sec. 1. T. N. 8 N. R. No 3 W.

9.00 To a Poplar - in dia. stands in the line.

40.00 Set a post for the cor. to 1/4 Sec. from which a  
Poplar 20 in. dia. bears S 82 E. 23 miles dist; to  
Beech 6 n n n S 82 W. 27 n n n

78.00 Into Sec. 10 the East & West line 10 ch. East of the  
temp. post set for the cor. to Sec. 8 & 9. N. 2 & 3  
W. made set a post for the cor. to Sec. 8. & 9. N. 2 & 3 W.

T. N. 8 N. R. N. 2 W. 2<sup>nd</sup> Mer. (Ind. 4)

N. R. N. 2 & 3 W. from which a  
Sugar 13 in. air. bears S 74 E. 9 miles north; &  
Ho 12 a n n S 46 W. 17 n  
Sandy soil and timber same as on the last mile.

Surveyed by  
Alexander Holmes Esq.

### Subdivisions

North Bottom Sec. 35, 136. T. N. 8 N. R. N. 2 W.  
23.50 To a Brook 25 miles wide; course S. E.  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
Beach 12 in. air. bears S 44 W. 34 miles north;  
Kick 12 n n n N 40 E. 23 n n  
72.50 To a Brook 25 miles wide; course S. E.  
80.00 Set a post for the cor. to Sec. 25, 26, 35, 136. from  
which a Sugar 10 in. air. bears S 80 E. 20 miles  
dist; & Beach 20 n n n S 76 W. 7 n  
Sandy soil and rolling timber Poplar, Oak,  
Walnut and Sugar.

East On a Random line between Sec. 25, 136. T. N. 8.  
N. R. N. 2 W.  
13.50 To a Spring course South  
27.00 To a Brook 10 miles wide; course S. W.  
40.00 Set a timber post for the cor. to 1/4 Sec.  
80.00 Intersperse the N. 83. 12 miles South of the post set  
for the cor. to Sec. 25, 136.  
Sandy soil and timber same as on the last mile.

West On the true line between Sec. 25, 136. T. N. 8 N.  
R. N. 2 W.  
40.00 Set a post for the cor. to 1/4 Sec. at the above dist on  
the true line. from which a  
W. Oak 10 in. air. bears N 74 E. 17 miles north; &  
W. Oak 20 n n n S 76 W. 16 n n

T. N. 8. N. R. N. 27. 2<sup>nd</sup> Mer. (Ind. <sup>o</sup>)

80.00 To the first lot for the cor. to Sec. 25, 26, 35, 36.

North Return Sec. 25, 26. T. N. 8 N. R. N. 27.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
 Bush 15 in. dia. bears S 72<sup>W</sup>. 18 miles dist; to  
 120 8 n n n S 74 E 7 n n

80.00 Set a post for the cor. to Sec. 23, 24, 25, 26 from  
 which on E line 12 in. dia. bears N 12<sup>W</sup>. 9 miles dist;  
 made a Bush 15 n n n S 20 E. 10 n n  
 Sand soil made timber same as on the last mile.

East On a Random line between Sec. 24 & 25. T. N. 8  
 N. R. N. 27.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.

50.00 To a Bush 20 miles mid; corner S.

80.20 Enter the N. & S. line 10 miles North of the  
 first lot for the cor. to Sec. 24 & 25.  
 Sand soil made timber same as on the last mile

West On the true line between Sec. 24 & 25. T. N. 8 N.  
 R. N. 27

40.10 Set the temporary post on the above dist. on the true  
 line for the cor. to  $\frac{1}{4}$  sec. from which  
 Bush 12 in. dia. bears N 60 E. 15 miles dist; to  
 18 n n n S 56<sup>W</sup> 24 n n

80.00 To the first lot for the cor. to Sec. 23, 24, 25, 26.

North Return Sec. 23 & 24 T. N. 8 N. R. N. 27.

37.00 To a Spring East

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
 Bush 7 in. dia. bears N 65<sup>W</sup>. 20 miles dist; to  
 Red Bud, 5 n n n N 87 E. 11 n n

44.00 To a Bush 15 miles mid; corner S. E.

80.00 Set a post for the cor. to Sec. 13, 14, 23, & 24 T. N.  
 8 N. R. N. 27. from which  
 Apple 40 in. dia. bears N 4<sup>W</sup>. 11 miles dist; to

T. N. 8 N.R. N. 27. 2nd Mer. (Ind<sup>a</sup>)

Log m 15 in. dia. base S44 E. 24 miles dist; r<sub>2</sub>  
 Sando soil on timber same as the last mile

East	On a random line between Sec. 13 & 24. T. N. 8 N.R. N. 27.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
46.00	To a Spring - same South.
79.30	Enter into the N. & S line 30 miles South of the post. Set for the cor. to Sec. 13 & 24. Sando soil on timber same as the last
West	On the true line between Sec. 13 & 24 T. N. 8 N. R. N. 27.
39.65	Set the temporary post at the aver. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a Gum 20 in. dia. base S60 E. 3 miles dist; r <sub>2</sub> Logwood 5 in. - N33 W. 25 in. -
79.30	To the post set for the cor. to Sec. 13 14 23 & 24
North	Between Sec. 13 & 14 T. N. 8 N.R. N. 27.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which a Log m 12 in. dia. base N87 W. 20 miles dist; r <sub>2</sub> Elm 6 in. - S59 E. 18 in. -
80.00	Set a post for the cor. to Sec. 13 14 11 & 10. from which a Tree 30 in. dia. base S10 W. 13 miles dist; on a Logwood 5 in. - N15 E. 19 in. - Sando soil on timber same as the last mile
East	On a random line between Sec. 12 & 13. T. N. 8 N. R. N. 27
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
79.80	Enter into the N. & S line 34 miles North of the post set for the cor. to Sec. 12 & 13. Sando soil on timber same as the last mile.
West	On the true line between Sec. 12 & 13. T. N. 8 N.R. N.



T. N. 8 N. R. N. 2 W. 2nd Mer. (Ind.)

2 W 2nd Mer.

- 39.90 Set the temporary post at the corner dist on the true line  
for the cor. to  $\frac{1}{4}$  Sec. from which a  
Heick 8 in. dia. beam S 10 E. 14 links dist; to  
Logorodo 3 in a n n N 48 W. 8 n n  
79.80 To the first set for the cor. to  $\frac{1}{4}$  Sec. 11, 12, 13 & 14

North Between Sec. 11 & 12. T. N. 8 N. R. N. 2 W.

15.50 To a Brook 10 links mid; hence West

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  Sec. from which  
a Heick 12 in. dia. beam S 72 W. 14 links dist; to  
Lo 4 n n n S 57 E. 15 n n

44.00 To a Brook 10 links mid; hence S. E.

80.00 Set a post for the cor. to Sec. 1, 2, 11 & 12. from which  
a Heick 8 in dia beam N 12 E. 9 links dist; to  
Lo 25 n n n S 36 W. 13 n n  
Sunde Soil made timber same as on the last mile.

East On a Meridian line between Sec. 1 & 12 T. N. 8 N.  
R. N. 2 W.

24.00 To a Brook 12 links mid; hence South.

40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  Sec.

79.30 Into Section the N. 13 mi 38 links South of the Post.  
Set for the cor. to Sec. 1 & 12. T. N. 8 N. R. N. 2 W.  
Sunde Soil made timber same as on the last mile.

West On the line between Sec. 10 & 12 T. N. 8 N. R. N.  
2 W. 2nd Mer.

39.65 Set the temporary post at the corner dist on the true line  
for the cor. to  $\frac{1}{4}$  Sec. from which a

Heick 12 in. dia. beam S 75 W. 10 links dist; to  
Heick 14 n n n N 60 E. 23 n n

79.30 To the first set for the cor. to Sec. 1, 2, 11, 12.

North Between Sec. 1 & 12 T. N. 8 N. R. N. 2 W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a

T. N. 8 N. R. N. 2 W. 2<sup>nd</sup> Mer. Ind.

Ironwoods 8 in. dia. trees N 41 E. 3 miles dist;  
 Dogwoods 8 n n n N 49 W. 16 n n  
 7450 Enter section the N. Boundary of T. N. 8 N. R. N. 2 W.  
 240 miles East of the first set for the cor. to Sec.  
 35. 136 T. N. 9 N. R. N. 2 W. and set a post for  
 the cor. to Sec. 1. & 2 from which a  
 Sugar 9 in. dia. trees N 49 W. 12 miles dist; & a  
 Dogwoods 6 n n n N 11 W. 14 n n  
 Sand soil and timber same as on the last mile.

North Between Sec. 34. & 35 T. N. 8 N. R. N. 2 W.  
 26.50 To a Brook 12 miles wide; crosses S.E.  
 40.00 Set a post for the cor. to Sec. 1 from which a  
 Sugar 10 in dia. trees N 44 W. 13 miles dist; & a  
 Sugar 6 n n n S 8 E. 27 n n  
 80.00 Set a post for the cor. to Sec. 26, 27, 34 & 35. from  
 which a Sugar 10 in dia. trees N 62 E. 6 miles dist;  
 and a Dogwoods 3 n n S 34 E. 7 n n  
 Sand soil and timber same as on the last mile.

East On a random line between Sec. 26. & 35, T. N. 8 N. R. N. 2 W.  
 40.00 Set a temporary post for the cor. to 1/4 Sec.  
 66.50 To a Brook 10 miles wide; crosses South.  
 80.10 Enter section the N. & S line 6 miles South of the first  
 set for the cor. to Sec. 25, 26, 35, 36.  
 Sand soil and timber same as on the last mile.

West On the true line between Sec. 26. & 35. T. N. 8 N. R. N. 2 W.  
 40.05 Set the temporary post at the same dist on the true line  
 for the cor. to 1/4 Sec. from which a  
 Sugar 10 in. dia. trees N 58 E. 7 miles dist; & a  
 Do 10 n n n S 54 W. 22 n n  
 80.10 To the first set for the cor. to Sec. 26, 27, 34 & 35  
 T. N. 8 N. R. N. 2 W.

## T. N. 8 N. R. N. 27. 2nd. Mor. (Ind. a.)

North	Between Sec. 26 & 27. T. N. 8 N. R. N. 27.
40.00	Set a post for the cor. to 1/4 sec. from which a Heck 10 in. dia. have S13 E. 11 links dist; 10 Sunnock 3 " " " N14 W 3 " " "
80.00	Set a post for the cor. to sec. 22, 23, 26, 27. from which a Dogwood 6 in. dia. have S31 E 27 links dist under Gum 6 " " " N20 W 21 " " " Sandy soil and timber same as in the last miles.
East	On a Random line between Sec. 23 & 26. T. N. 8 N. R. N. 27.
40.00	Set a temporary post for the cor. to 1/4 sec.
79.80	Introduced the N. & S line 27 links North of the first set for the cor. to sec. 23, 24, 25 & 26. Sandy soil and timber same as in the last miles.
West	On the true line between Sec. 23 & 26. T. N. 8 N. R. N. 27.
39.90	Set the temporary post at the corner dist in the true line for the cor. to 1/4 sec. from which a Black Oak 6 in. dia. have S37 E 8 links dist; 10 Maple 10 " " " S59 W 23 " " "
79.80	To the first set for the cor. to sec. 22, 23, 26 & 27.
North	Between Sec. 22, 23. T. N. 8 N. R. N. 27.
40.00	Set a post for the cor. to 1/4 sec. from which an Elm 6 in. dia. have S29 W 6 links dist; 10 Poplar 10 " " " S84 E 8 " " "
80.00	Set a post for the cor. to sec. 14, 15, 22, 23 from which a Walnut 10 in. dia. have S25 W 5 links under a W. Walnut 10 " " " S61 E 22 " " Sandy soil and timber same
East	On a Random line between Sec. 14 & 23. T. N. 8 N. R. N. 27.
40.00	Set a temporary post for the cor. to 1/4 sec.



T. N. 8 N. R. N. 2 W. 2<sup>nd</sup> Mer. Sec. 4

- 80.12 Intersected the N. & S. line 16 miles South of the  
Post set for the cor. to Sec. 13 14. 23 & 24  
Made the same as on the last mile
- 
- West On the true line between Sec. 14 & 23 T. N. 8 N. R.  
N. 2 W.  
40.06 Set the temp. Post at the aver. dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which  
Buck 10 in dia bears S 31 E. 14 miles dist; to  
N. Oak 12 in " " N 66 E 16 " "  
80.12 To the Post set for the cor. to Sec. 14, 15, 22, & 23.
- 
- North Between Sec. 14 & 15 T. N. 8 N. R. N. 2 W.  
40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
Buck 12 in dia bears S 11 W. 29 miles dist; to  
Logwood 6 in " " S 24 E. 9 " "  
52.00 To a Brook 8 miles wide bearing East.  
80.00 Set a post for the cor. to Sec. 10, 11, 14, & 15. from  
which Sugar 10 in dia bears N 27 W. 25 miles dist.  
under a Do 12 in " " N 46 E. 29 " "  
Made same as on the last mile.
- 
- East On a Random line between Sec. 11 & 14 T. N. 8 N. R.  
N. 2 W.  
40.00 Set a temp. Post for the cor. to  $\frac{1}{4}$  sec.  
79.50 Intersected the N. & S. line 10 miles South of the  
Post set for the cor. to Sec. 11, 12, 13, & 14.  
Made the same.
- 
- West On the true line between Sec. 11 & 14 T. N. 8 N. R. N.  
2 W.  
39.75 Set the temp. Post at the aver. dist on the true line  
for the cor. to  $\frac{1}{4}$  sec. from which  
N Oak 10 in. dia bears S 10 W. 7 miles dist; to  
Hick 10 in " " N 26 W. 5 " "  
79.50 To the Post set for the cor. to Sec. 10, 11, 14 & 15



T. N<sup>o</sup> 8. N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer. Ind.<sup>o</sup>

West On the true line between Sec. 11. & 14 T. N<sup>o</sup> 8. & N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer.

39.75 Got the temporary post at the corner with the true line for the cor. to 1/4 sec. from which a  
Oak 10 in. dia. bears S 10 W 7 miles dist. to  
Hick 10 " " " N 26 W 5 " "

79.50 To the best lot for the cor. to Sec. 10. 11. 14 & 15

North Between Sec. 10. & 11. T. N<sup>o</sup> 8. & N.R. N<sup>o</sup> 2 W.

40.00 Got a post for the cor. to 1/4 sec. from which a  
Sugar 10 in. dia. bears N 79 W. 20 miles dist. to  
Logwood 6 " " " N 26 E. 11 " "

80.03 Got a post for the cor. to Sec. 23, 10. & 11. from which a  
Sassafras 6 in. dia. bears S 16 W. 5 miles dist. to  
Logwood 5 " " " N 36 W 11 " "  
Sandpail and timber same as on the last mile

East On the true line between Sec. 2 & 11. T. N<sup>o</sup> 8. & N.R. N<sup>o</sup> 2 W.

40.00 Got a temporary post for the cor. to 1/4 sec.

64.00 Log Brook 6 in. dia. bears S 10 W 10 miles dist. to

84.14 Intersected the N & S line 21 miles South of the post  
lot for the cor. to 1. 2. 11. 10  
Sandpail and timber same as on the last mile.

West On the true line between Sec. 2 & 11. T. N<sup>o</sup> 8. & N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer.

40.07 Got the temporary post at the corner with the true line for the cor. to 1/4 sec. from which a

Buck 14 in. dia. bears S 57 E. 13 miles dist. to  
Hick 6 " " " S 40 W. 10 " "

80.14 To the best lot for the cor. to Sec. 2, 3, 10. & 11

North Between Sec. 2 & 3 T. N<sup>o</sup> 8. & N.R. N<sup>o</sup> 2 W.

40.00 Got a post for the cor. to 1/4 sec. from which a

Buck 15 in. dia. bears N 71 W. 6 miles dist. to

389

T. N. 8. N. R. N. 2 W. 2nd Mer. (2nd.)

41.00 To 4 in. dia. beam S 17 E. 16 miles north;  
 74.79 To a post 8 miles south; hence N. W.  
 Enter section the N. boundary of T. N. 8 N. R. N. 2 W.  
 185 miles East of the post set for the cor. to Sec. 34 &  
 35. T. N. 9. N. R. N. 2 W. and made a cor. for the cor.  
 213. in a N. 1/4 of 8 in. dia. beam  
 Good soil made timber same as the last mile.

North Return Sec. 33 & 34 T. N. 8 N. R. N. 2 W.  
 40.00 Set a post for the cor. to 1/4 sec. from which  
 Sassafras 6 in. dia. beam S 11 E. 6 miles north; to  
 Poplar 12 " " " N 72 W. 19 " "  
 80.00 Set a post for the cor. to Sec. 27, 28, 33 & 34 from which  
 a Gum 6 in. dia. beam S 17 W. 18 miles north. to  
 Poplar 48 " " " S 45 W. 28 " "  
 Good soil made timber same as the last mile.

East On a line from here between Sec. 27 & 34 T. N. 8 N.  
 R. N. 2 W.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 80.08 Enter section the N. & S. line 28 miles South of the post.  
 Set for the cor. to Sec. 26, 27, 34 & 35.  
 Good soil made timber same as the last mile.

West On the true line between Sec. 27 & 34 T. N. 8 N. R. N.  
 2 W.  
 40.04 Set the temporary post at the corner set on the true line  
 for the cor. to 1/4 sec. from which  
 Dogwood 4 in. dia. beam S 35 W. 15 miles north; to  
 Buck 4 " " " S 85 W. 11 " "  
 80.08 To the post set for the cor. to Sec. 27, 28, 33 & 34

North Return Sec. 27 & 28 T. N. 8 N. R. N. 2 W.  
 40.00 Set a post for the cor. to 1/4 sec. from which  
 Gum 6 in. dia. beam S 84 E. 32 miles north; to  
 N. Oak 15 " " " S 87 W. 10 " "

T. N. 8 N. R. N. 2 W. 2<sup>nd</sup> Mer. (Ind. Co.)

81.00 Set a post for the cor. to sec. 22, 27, & 28. From which a 7' Beech 4 in dia. bears S 71 E. 15 links north on a Poplar 24 in ~ S 89 W. 20 ~ Sand soil and timber same as on the last mile.

East On a Random line between Sec. 22, & 27. T. N. 8 N. R. N. 2 W.

40.50 Set a temporary post for the cor. to 1/4 sec.

81.20 Intersected the N. & S. line 28 links South of the post set for the cor. to sec. 22, 23, 26, & 27. Sand soil and timber same as on the last mile.

West On the true line between Sec. 22, & 27. T. N. 8 N. R. N. 2 W.

44.70 Set the temporary post at the corner just on the true line for the cor. to 1/4 sec. From which a Sugar 15 in dia. bears N 20 E. 10 links north; 5 in Elm 5 in ~ S 30 E. 13 in ~

81.20 To the last set for the cor. to sec. 21, 22, 27, & 28.

North Biting Sec. 21, & 22 T. N. 8 N. R. N. 2 W.

40.50 Set a post for the cor. to 1/4 sec. From which a Poplar 30 in dia. bears S 85 W. 4 links north; 5 in 7' Beech 36 in ~ N 70 E. 4 in ~

80.00 Set a post for the cor. to sec. 15, 16, 21, & 22. From which a Sugar 5 in dia. bears N 29 E. 7 links north; 5 in Ho 5 in ~ S 55 W. 9 in ~ Sand soil and timber same as on the last mile.

East On a Random line between Sec. 15, & 22 T. N. 8 N. R. N. 2 W.

40.50 Set a temporary post for the cor. to 1/4 sec.

80.00 Intersected the N. & S. line 12 links North of the post set for the cor. to sec. 14, 15, 22, & 23. Sand soil and timber same as on the last mile. T. N. 8 N. R. N. 2 W.



T. N. 8 N.R. N. 27 2<sup>nd</sup> Sec. Nor. Ind.ch. 1. 1/4 sec.  
WestOn the true line between Sec. 15. & 22 T. N. 8 N.  
R. N. 27.

40.00

Set the temporary post at the corner west on the true line  
for the cor. to 1/4 sec. from which isSagum 5 in dia. base 437 E 5.7 miles north; 10  
H. 20 in dia. base 450 77 19 in

811.00

To the post set for the cor. to Sec. 15. 16. 21. &amp; 22.

North

Between Sec. 15. &amp; 16. T. N. 8 N.R. N. 27.

40.00

Set W Oak 15 in. dia. which stands for the cor. to  
1/4 sec.

811.00

Set the post for the cor. to Sec. 9. 10. 15 & 16. from  
which is White 178 in. dia. base N 50 77 8 miles north;  
under W Oak 20 in dia. base 440 77 32 in  
Sagum 5 in dia. base 450 77 19 in

East

On a Random line between Sec. 10. & 15 T. N. 8 N.  
R. N. 27.

40.00

Set a temporary post for the cor. to 1/4 sec.

79.80

Intersected the N.S. line at the post set for the cor.  
to Sec. 10. 11. 14 & 15

Sagum 5 in dia. base 450 77 19 in

West

On the true line between Sec. 10. & 15. T. N. 8 N.  
R. N. 27.

39.90

Set the temporary post at the corner west on the true line  
for the cor. to 1/4 sec. from which isWhite 178 in. dia. base N 50 77 8 miles north; 10  
H. 20 in dia. base 440 77 32 in

79.80

To the post set for the cor. to Sec. 9. 10. 15. &amp; 16.

North

Between Sec. 9. &amp; 10. T. N. 8 N.R. N. 27

40.00

Set a post for the cor. to 1/4 sec. from which is

Maple 15 in. dia. base 444 E. 4 miles north; 10  
H. 15 in dia. base 426 77 21 in

80.00

Set a post for the cor. to Sec. 3. 4. 9. &amp; 10. from which is



## T. N. 8 N.R. N. 2nd Mer. Ind. 2

4 Bush 8 in. dia. bears N44 W. 29 miles dist; ran  
 det. 26 n a n N63 E. 27 n n  
 Same same as the last mile.

East On a Random line between Sec. 3 & 10. T. N. 8.  
 N.R. N. 27.

26.00 To a Brook 10 miles wide; same south.  
 40.00 Set a trap; first for the cor. to 1/4 sec.  
 80.00 Introduced to the N.E. line 16 miles north of the  
 first det. for the cor. to Sec. 2 310. 111  
 Same same as the line above.

West On the true line between Sec. 3 & 10. T. N. 8. N.R.  
 N. 27.

40.10 Set the trap; first at the very dist on the true line  
 for the cor. to 1/4 sec. from which a  
 Gum 6 in. dia. bears N48 E. 20 miles dist; to  
 Nicks 18 n n n N1 E. 21 n n  
 80.20 To the post det. for the cor. to Sec. 3. 4. 9. 10.

North Between Sec. 3 & 4. T. N. 8 N.R. N. 27.

40.00 Set a post for the cor. to 1/4 sec. from which a  
 Gum 10 in. dia. bears S31 W. 5 miles dist; to  
 Nicks 12 n n n N42 E. 14 n n  
 75.74 Introduced to the N. Boundary of T. N. 8 N.R. N. 27.  
 223 miles East of the post. Set for the cor. to Sec.  
 33 & 34 T. N. 8 N.R. N. 27. and set post for the  
 cor. to Sec. 3 & 4. from which a  
 Gum 10 in. dia. bears S7 W. 14 miles dist; and a  
 Log 10 n n n S64 E. 9 n n  
 Same soil and timber same as the last mile

North Between Sec. 32 & 33 T. N. 8 N.R. N. 27.

37.00 To a Brook 10 miles wide same N.W.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Gum 7 in. dia. bears N53 E. 14 miles dist; and a

T. N. 8 N. R. N. 2 W. 2<sup>nd</sup> Mer. (Cul.)

80.00 Sugar 10 in. dia. - base S 8 E. 19 miles dist;  
Set apart for the cor. to sub. 28, 29, 32, & 33. From  
which a Sugar 5 in. dia. - base N 6 W 8 miles dist;  
under an Elm 10 a n n S 78 W. 18 a n n  
Same as same as on the last mile.

East On a Random line between sub. 28, & 33. T. N. 8.  
N. R. N. 2 W.

40.00 Set a temp. post for the cor. to 1/4 sec. from which  
81.00 Sub. section the N. 23 line 30 miles south of the last  
set for the cor. to sub. 27, 28, 33 & 34  
Same soil and timber same as on the last mile.

West On the true line between sub. 28, & 33. T. N. 8 N. R.  
N. 2 W.

40.50 Set the temp. post at the corr. set on the true line  
for the cor. to 1/4 sec. from which a  
Log woods 3 in. dia. - base S 43 E. 13 miles dist; to  
Yum 12 a n n N 57 W. 34 a n n  
81.00 Set the post set for the cor. to sub. 28, 29, 32, & 33.

North Return sub. 28, & 29 T. N. 8 N. R. N. 2 W.

81.00 To a Brook 12 miles mid; across S. W.

10.50 To where it was crossed 3 times

49.00 Set a post for the cor. to 1/4 sec. from which a  
N. Walnut 7 in. dia. - base N 11 E. 4 miles dist; to  
Sugar 18 a n n S 20 W. 36 a n n

80.00 Set apart for the cor. to sub. 21, 22, 28 & 29 from which  
a Dog woods 4 in. dia. - base N 45 W. 11 miles dist; to  
Lo 4 a n n S 53 E. 20 a n n  
Same soil and timber same as on the last mile.

East On a Random line between sub. 21, & 28. T. N. 8 N.  
R. N. 2 W.

40.00 Set a temp. post for the cor. to 1/4 sec. from which a  
41.00 To a Brook 15 miles mid; across S. W.

T. N. 8 N. R. N. 27. 2<sup>nd</sup> Mer. (Ind. a.)

84.28 Intersect the N. & S. line 20 miles North of the  
first cut for the cor. to lat. 21. 22. 27. & 28.  
Lands sold made timber same as on the last mile.

West On the true line between lat. 21. & 28. T. N. 8 N.  
R. N. 27.

40.14 Get a post (temp.) at the corner with on the true line  
for the cor. to  $\frac{1}{4}$  sec. From which a  
Buck 5 in. dia. bears N 34 W. 40 miles dist; to  
Loc 15 n n n S 40 E. 28 n n

80.28 To the post set for the cor. to lat. 20. 21. 28. & 29.

North Between lat. 20. & 21. T. N. 8. & R. N. 27.

20.00 Get a post for the cor. to  $\frac{1}{4}$  sec. From which a  
Log pole 6 in. dia. bears N 37 W 4 miles dist; to  
Loc 17 10 n n n N 27 E. 16 n n

80.00 Get a post for the cor. to lat. 16. 17. 20. & 21. From which  
on ground 4 in. dia. bears S 78 E. 5 miles dist; to  
Sugar 8 n n n S 27 W. 15 n n  
Lands sold made timber same as on the last mile.

East On a Random line between lat. 16 & 21. T. N. 8 N.  
R. N. 27.

40.00 Get a post for the cor. to  $\frac{1}{4}$  sec. (temp.)

54.75 To a Brook 18 miles away; Union South.

79.95 Intersect the N. & S. line 21 miles South of the first  
cut, for the cor. to lat. 15. 16. 21. & 22.  
Lands sold made timber same as on the last mile.

West On the true line between lat. 16. & 21. T. N. 8 N.  
R. N. 27.

39.97  $\frac{1}{2}$  Get the temp. post at the corner with on the true line  
for the cor. to  $\frac{1}{4}$  sec. From which a

Sugar 24 in. dia. bears S 10 E. 11 miles dist; to  
W alk 3 n n n N 58 W 12 n n

79.95 To the post set for the cor. to lat. 15. 16. 20. 21.

T. N. 8 N.R. No 27. 2<sup>nd</sup> Mer. (Ind.)

- North Between Sec. 16. & 17. T. N. 8 N.R. No 27.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
W Oak 7 in. dia. bears S 57 E 8 links dist; 10  
Do 5 " " " S 3 E. 15 " "
- 80.00 Set a post for the cor. to Sec. 8. 9. 16. & 17. from which  
a Buck 8 in. dia. bears N 82 W. 18 links dist; 10  
Do 8 " " " N 65 E. 14 " "  
Good soil and timber same as on the last mile.

- East On a line from Sec. 9. & 16. T. N. 8 N.R. No 27.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a
- 80.00 Set a post for the cor. to Sec. 9. 11. 15. 16.  
Set for the cor. to Sec. 9. 11. 15. 16.  
Good soil and timber same as on the last mile.

- West On the true line between Sec. 9. & 16. T. N. 8 N.R. No 27.
- 40.00 Set the temporary post at the corner. Dist on the true line  
for the cor. to  $\frac{1}{4}$  Sec. from which a  
W Oak 15 in. dia. bears S 25 W. 13 links dist; 10  
Syc 5 " " " S 52 E. 121 " "
- 80.00 To the post set for the cor. to Sec. 9. 8. 16 & 17.

- North Between Sec. 8. & 9. T. N. 8 N.R. No 27
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
Buck 21 in. dia. bears N 62 W. 32 links dist; 10  
Elm 4 " " " N 108. 20 " "
- 80.00 Set a post for the cor. to Sec. 4. 5. 8. 9. from which  
Syc 6 in. dia. bears N 5 E 10 links dist; 10  
Oak 7 12 " " " S 63 W. 22 " "  
Good soil and timber same as on the last mile

- East On a line from Sec. 4 & 9. T. N. 8 N.R. No 27
- 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  Sec.
- 70.50 To a post 10 links from Sec. N.W.



T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> 4<sup>th</sup> Mer. Ind.<sup>n</sup>

- 80.10 Intersect the N. 8 line 22 miles South of the fork  
set for the cor. to Sec. 3. 4. 9. 10.  
Sandy soil and timber same as on the last mile.
- 
- West On the true line between Sec. 4 & 9 of T. N<sup>o</sup> 8 N.R.  
N<sup>o</sup> 2 W.
- 40.05 Set the temporary post at the av. dist on the true line  
for the cor. to  $\frac{1}{4}$  Sec. from which a  
elm 12 in. dia. bears N 84 E 27 miles dist. and a  
Hawberry 11 " " " N 66 W 17 " " "
- 80.10 To the post set for the cor. to Sec. 4. 5. 8. 9.
- 
- North Between Sec. 4 & 5. T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 2 W.
- 39.50 To a Spring Run 15 miles midw. Run N.W.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
Beck - in dia. bears N 75 E. 14 miles dist.; and a  
Poplar 12 " " " N 27 E. 10 " " "
- 64.00 To a Brook 10 miles midw. Run N.W.
- 75.67 Intersect the N. Boundary of T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 2 W.  
300 miles East of the post set for the cor. to Sec.  
32. & 33. T. N<sup>o</sup> 9 N.R. N<sup>o</sup> 2 W. and set a post for  
the cor. to Sec. 4 & 5. from which a  
Beck 8 in. dia. bears S 64 E. 3 miles dist.; & a  
W Oak 12 " " " S 55 W 23 " " "  
Sandy soil and timber same as on the last mile
- 
- North Between Sec. 31 & 32. T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 2 W.
- 30.00 To a Brook 20 miles midw. Run West.
- 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
Hick 10 in. dia. bears S 27 W. 7 miles dist.; & a  
Gum 18 " " " N 17 E. 10 " " "
- 80.00 Set a post for the cor. to Sec. 29. 30. 31 & 32. from which  
a Poplar 40 in. dia. bears N 23 W. 28 miles dist.; & a  
Beck 10 " " " S 67 E. 24 " " "  
Sandy soil and timber same as on the last mile

T<sup>h</sup> N<sup>o</sup> 8 N.R. N<sup>o</sup> 2 W. 2<sup>nd</sup> Mer (Ind<sup>c</sup>)

East	On a Random line between Sec. 29. & 30 T. N <sup>o</sup> 8. N.R. N <sup>o</sup> 2 W.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
63.00	Traverse 20 miles wide; across T. W.
79.50	Intersected the N. & S line 2 miles South of the post set for the cor. to Sec. 28. 29. 30. & 31.
	Land soil made timber same as on the last mile.
West	On the true line between Sec. 29. & 30 T. N <sup>o</sup> 8 N. N.R. N <sup>o</sup> 2 W.
39.75	Set the temporary post at the corner east on the true line for the cor. to $\frac{1}{4}$ sec. from which
	Sugar 8 in. dia. bears East 25 miles dist;
70.50	To the post set for the cor. to Sec. 29. 30. 31. & 32.
North	Between Sec. 29. & 30 T. N <sup>o</sup> 8. N.R. N <sup>o</sup> 2 W.
40.00	Set a post for the cor. to $\frac{1}{4}$ sec. from which
	Sugar 10 in. dia. bears S 43 W. 10 miles dist; & a
	Ironwood 4 in. dia. bears N 47 W. 15 in. "
80.00	Set a post for the cor. to Sec. 19. 20. 29. & 30. from which
	a Gum 20 in. dia. bears S 50 E 14 miles dist; & a
	Do 18 in. dia. bears N 68 W 17 in. "
	Land rolling and no timber; Timber Oak, Hickory, Poplar & Sugar. T 8 N.R. 2 W.
East	On a Random line between Sec. 20. & 29. T. N <sup>o</sup> 8 N. N.R. N <sup>o</sup> 2 W.
40.00	Set a temporary post for the cor. to $\frac{1}{4}$ sec.
80.00	Intersected the N. & S line at the post set for the cor. to Sec. 20. 21. 28. & 29.
	Land soil made timber same as on the last mile.
West	On the true line between Sec. 29. & 20. T. N <sup>o</sup> 8 N.R. N <sup>o</sup> 2 W.
40.00	Set the temporary post at the corner west on the true line for the cor. to $\frac{1}{4}$ sec. from which

T. N. 8 N. R. N. 27. 2<sup>nd</sup> Mer. Cont.

W. Oak - in. dia. - bears S 45 W. 13 links dist; 12  
 10 10 n n n N 45 W 11 n n  
 80.00 To the post set for the cor. to sub. 19. 20. 29. & 30.  
 Same soil made timber same as on the last mile.

North Between sub. 19. & 20. T. N. 8 N. R. N. 27.  
 40.00 Set a post for the cor. to 1/4 sec. from which  
 Buck 5 in. dia. - bears S 35 W. 9 links dist; 12  
 W. Walnut 8 n n n N 43 E. 21 n n  
 80.00 Set a post for the cor. to sub. 17. 18. 19. & 20. From which  
 n Maple 18 in. dia. - bears S 25 W. 12 links dist; 12  
 Poplar 5 n n n N 27 E 17 n n  
 Same soil made timber same as on the last mile.

East On a line from line between sub. 17. & 20. T. N. 8 N.  
 R. N. 27.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 80.12 Intersected the N. & S line 15 links North of the  
 post set for the cor. to sub. 16. 17. 20. & 21.  
 Same soil made timber same as on the last mile.

West On the true line between sub. 17. & 20 T. N. 8 N. R.  
 N. 27.  
 40.06 Set the temporary post at the above dist. on the true line  
 for the cor. to 1/4 sec. from which a  
 W. Oak 18 in. dia. - bears S 53 E. 4 links dist; 12  
 Ash 3 n n n S 84 W 33 n n  
 80.12 To the post set for the cor. to sub. 17. 18. 19. & 20.

North Between sub. 17. & 18 T. N. 8 N. R. N. 27.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 24 in. dia. - bears N 15 E. 13 links dist; 12  
 Sugar 12 n n n S 70 W 23 n n  
 55.50 To a Brook 15 links wide; corner W.  
 80.00 Set a post for the cor. to sub. 7. 8. 17. & 18. from which  
 Hickory 24 in. dia. - bears N 16 W. 8 links dist; 12

T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer. (Ind.)

Width 10 in. dia. base N 19 E. 13 links dist; to  
Sands soil and timber same as on the last mile.

East In a Random line between Sec. 8. & 17. T. N<sup>o</sup> 8 N.R.  
N. N<sup>o</sup> 27.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.16 Enter Section the N & S line 26 links North of the  
post set for the cor. to sec. 8. 9. 16. & 17.  
Sands soil and timber same as on the last mile.

West In the true line between Sec. 8. & 17. T. N<sup>o</sup> 8 N.R.  
N<sup>o</sup> 27.

40.08 Set the temporary post at the above dist on the true line  
for the cor. to 1/4 sec. from which a

N Walnut 15 in. dia. base N 86 E 18 links dist;  
at West 15 " " " N 16 E. 22 " "

80.16 To the post set for the cor. to Sec. 7. 8. 17. & 18.

North Between Sec. 7. & 8. T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 27.

9.50 To a Brook 18 links wide; Corner N. 1/4 sec.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 12 in. dia. base N 30 E 10 links dist; to  
Beck 8 " " " S 58 E. 35 " "

41.00 To a W. Oak 18 in. dia. stand on the line.

80.00 Set a post for the cor. to Sec. 5. 6. 7. & 8 from  
which Beck 6 in. dia. base N 43 E. 12 links dist;  
and a No. 6 " " " S 24 E. 10 " "  
Sands soil and timber same as on the last mile.

East In a Random line between Sec. 5. & 8. T. N<sup>o</sup> 8 N.R.  
N. N<sup>o</sup> 27.

40.30 Set a temporary post for the cor. to 1/4 sec.

79.90 Enter Section the N & S line 10 links North of the post  
set for the cor. to Sec. 4. 5. 8. & 9.

Sands soil and timber same as on the last mile.  
T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 27.



## T. N. 8 N.R. N. 27. 2nd Mer (Ind. Co.)

- West On the true line between Sec. 5 & 8 T. N. 8 N.R. N. 27.  
 39.95 Set the true line post at the corner west on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Red 20 in. dia. line East 8 links dist; and a  
 Black 24 in. N 19 E. 12 in. in  
 79.90 Set the post at for the cor. to Sec. 5. Co. 7. 188

- North Between Sec. 5 & 6. T. N. 8 N.R. N. 27.  
 36.00 Set a N. Oak 20 in. dia. line in the line.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Black 10 in. dia. line N 81 E 4 links dist; to  
 Co 9 in. in N 40 W. 12 in. in  
 76.37 Entered the N Boundary of Sec. 8 N.R. N. 27. 358 links East of the post set for the  
 cor. to Sec. 31 & 34. T. N. 9. N.R. N. 27. marked  
 a post for the cor. to Sec. 5 & 6. from which a  
 Black 3 in. dia. line S 8 W. 14 links dist; to  
 Black 3 in. N 50 W. 8 in. in  
 Same soil and timber same as on the last mile.

- West Between Sec. 6 & 7 T. N. 8 N.R. N. 27.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Black 12 in. dia. line N 66 E 26 links dist;  
 to Co 26 in. in S 30 E 7 in. in  
 73.20 Entered the West Boundary of T. N. 8 N.R. N. 27. 100 links South of the post set for the cor.  
 to Sec. 1 & 12. T. N. 8 N.R. N. 37. and set a  
 post for the cor. to Sec. 6 & 7. from which a  
 Sugar 4 in. dia. line N 84 W. 15 links dist; to  
 Co 18 in. in S 37 W. 24 in. in  
 Same soil and timber same as on the last mile

- West Between Sec. 7 & 18 T. N. 8 N.R. N. 27.  
 24.50 Set a Post 25 links north, corner S. N.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a

T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 27. 2<sup>nd</sup> Mer (S. a. c.)

Beck 20 in. dia. base N 65 E. 16 links dist; to  
 Lf 10 a ~ ~ N 34 W. 14 a ~ ~  
 71.62 Intersected the West Boundary of T. N<sup>o</sup> 8 N.R.  
 N<sup>o</sup> 27. 129 links South of the first set for the  
 cor. to Sec. 12. & 13. T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 37. and  
 set a post for the cor. to Sec. 7. & 8. from which  
 Beck 8 in. dia. base N 20. E 5 links dist; to  
 Lf 12 a ~ ~ N 63 E. 19 a ~ ~  
 Sand soil and timber same as on the last mile.

West Return Sec. 18. & 19. T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 27.  
 45.00 Set a post for the cor. to Sec. 18. from which  
 Beck 4 in. dia. base N 70 W. 36 links dist; to  
 Lf 4 a ~ ~ ~ ~ ~ ~ ~ ~ ~ ~  
 71.13 Intersected the West Boundary of T. N<sup>o</sup> 8 N.R. N<sup>o</sup>  
 27. 261 links South of the first set for the cor. to  
 Sec. 13 & 24 T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 37. and set a post  
 for the cor. to Sec. 18 & 19. from which  
 Beck 15 in. dia. base N 83 W. 18 links dist; to  
 Dog wood 4 a ~ ~ ~ N 45 E. 22 a ~ ~ ~  
 Sand soil and timber same as on the last mile.

West In the true line between Sec. 19. & 20. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 27.  
 46.00 Set a post for the cor. to 1/4 Sec. from which  
 B. Oak 30 in. dia. base N 72 W. 18 links dist; to  
 W. Oak 12 a ~ ~ ~ N 35 E. 14 a ~ ~ ~  
 70.50 Intersected the West Boundary of T. N<sup>o</sup> 8 N.R. N<sup>o</sup>  
 27. 8 links North of the first set for the cor. to  
 Sec. 24 & 25 T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 37. and set a post  
 for the cor. to Sec. 19. & 30 from which  
 Beck 8 in. dia. base N 80 W. 5 links dist; to  
 Lf 5 a ~ ~ ~ N 10 E. 7 a ~ ~ ~  
 Sand soil and timber same as on the last mile.

West Return Sec. 30 & 31. T. N<sup>o</sup> 8 N.R. N<sup>o</sup> 27.

## T. N. 8 N. R. N. 27. 2nd Mer. (Ind.)

- 22.50 Tra Burr 10 miles wide; across  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which  
 Thick 12 in. dia. trees N 6 E. 29 miles west; to  
 Dogwoods Co. N. 53 W. 12 N. W.  
 65.00 Tra Maple 18 in. dia. stands in the line.  
 69.90 Intersected the West Boundary of Twp. N. 8 N. R.  
 N. 27. 100 miles South of the post set for the  
 cor. to Sec. 25 T. 36. T. N. 8 N. R. N. 37. and set  
 a post for the cor. to Sec. 31 131 from which a  
 Thick 12 in. dia. trees N 63 E. 4 miles west; to  
 Log 15 N. W. S 86 E. 20 N. W.  
 Good soil and timber same as in the last mile.

Surveyed by  
 Arthur Henry.  
 Dep. Surr.

I certify that the foregoing transcript of the  
 field notes of Township N. 8 N. Range N.  
 2 West of the 2nd Mer. Indiana, has been  
 compared with the Original notes in this Office  
 and found to be correct.

Surveyor General's Office  
 Cincinnati, Dec. 27. 1839.

E. S. Rains  
 Sur. Genl.